



AOTS 6. OST at a community pharmacy

For more information see *OST and You pp.22-24*

Things to be aware of when going to a community pharmacy

- You might need to provide some form of identification. AOTS faxes and posts a digital photo of you to the pharmacy so they can be sure they're dispensing the right dose to the right person. However, if you're not known to the pharmacist (it could be a locum or you might be picking up from a pharmacy that's not your usual one) you may be asked to show some ID
- You need to remove your sunglasses because the pharmacist needs to assess you when you go to pick up and they can't do that if you're wearing sunnies
- Please ask anyone with you not to accompany you into the dispensing area
- You need to speak to the pharmacist after consuming your dose
- Leave used cups in the dispensing area
- Check that the caps on any takeaway methadone bottles are intact before you leave the pharmacy. Sometimes takeaways leak so keep them in an upright position. It's a good idea to put any takeaway bottle/s in a small zip-lock plastic bag (rather than a paper bag); that way any leakage can be salvaged
- If you're receiving Suboxone® you need to wait 2 to 10 minutes in the pharmacy for the tablet/s to dissolve under your tongue
- One advantage of going to the pharmacy often is that if you are having trouble with side effects from your OST or you have other health issues that are worrying you, the pharmacist will be able to help or will know who you can talk to about it



Pharmacists and scripts

- Pharmacists can't make changes to your script without permission from the prescribing doctor. If you want something changed that can only be done if the prescriber has made that clear on the prescription. Otherwise a new script is needed.
- Pharmacists can't replace lost, stolen or leaked doses and AOTS will only replace them in exceptional circumstances. See 'Replacement doses' in *OST and You p.24*
- Pharmacists can't give you a dose if you are stoned/ intoxicated. For info on cancelled or withheld doses see *OST and You p.23*
- If you miss more than one dose or are regularly missing doses the pharmacist needs to let AOTS know. See *OST and You p.24*
- If the prescriber's instructions are unclear or seem to be incorrect the pharmacist must check with the prescriber before dispensing any medication. (For more details see *Information Sheet 7 Managing your scripts*)
- Pharmacists in Auckland are instructed on the scripts not to dilute your dose/s as AOTS does not support the dilution of Biodone.

If a pharmacist does dilute your dose/s please let AOTS know. If you want to have your takeaway methadone diluted, you need to ask your prescriber to write 'dilute' with dilution volume or concentration on the script.

Issued by	CADS Document Controller	Issued Date	Feb 2016	Classification	AIS06
Authorised by	CADS Clinical Director	Review Period	36 months	Page	Page 1 of 2


This information is correct at date of issue. Always check in the relevant Waitemata DHB policy manual that this copy is the most recent version.

Receiving Mail at the Pharmacy

Occasionally your pharmacist will pass things on to you from AOTS, such as appointments and requests for lab tests.

Please follow the instructions given to you. If you are unclear about the instructions contact AOTS promptly. (NB. Although you might receive mail at your pharmacy, AOTS is still required by regulations to have your home address.)

pRogReSsioN the Consumer Team newsletter is also available at most pharmacies – ask your pharmacist for a copy. If your pharmacy doesn't have it available for you, contact the CADS Consumer Team who can send you a copy or pick one up from a CADS unit.



Problems

If you have a problem with your pharmacist or with your pharmacy arrangements contact your key worker or your GP if you're a Shared Care client. You can also phone the AOTS Consumer Liaison or CADS Consumer Advisor on 815 5830.

Other AOTS info sheets available

- | | | |
|------------------------------------|---|---------------------------------|
| 1. Opioid treatment with AOTS | 2. Facts about OST meds | 3. Accidental OD |
| 4. Recovery and treatment planning | 5. Clinical tests | 6. OST at a community pharmacy |
| 7. Managing your scripts | 8. OST and holidays in NZ and overseas | 9. Shared care: OST and your GP |
| 10. Coming off OST | 11. Involuntary withdrawal | 12. Pregnancy and OST |
| 13. Driving and OST | 14. Methadone and medication interactions | 15. First aid box |

Issued by	CADS Document Controller	Issued Date	Feb 2016	Classification	AIS06
Authorised by	CADS Clinical Director	Review Period	36 months	Page	Page 2 of 2

This information is correct at date of issue. Always check in the relevant WDHB policy manual that this copy is the most recent version.